TP-Link CPE220 WLAN bağlantı noktası 300 Mbit/s Beyaz Ethernet üzerinden güç desteği (PoE)





Marka : TP-Link

Ürün kodu: CPE220

Ürün Adı : CPE220

TP-Link CPE220. 2.4 GHz, Maksimum veri aktarım hızı: 300 Mbit/s. Güvenlik algoritması destekli: 64-bit WEP, 128-bit WEP, 152-bit WEP, AES, HTTPS, SNMP, SSH, SSID, TKIP, WPA, WPA-PSK, WPA2,.... Ethernet üzerinden güç desteği (PoE). Ürün rengi: Beyaz. Güç tüketimi (maksimum): 10,8 W

Özellikler	
2.4 GHz *	✔
5 GHz *	✘
Maksimum veri aktarım hızı *	300 Mbit/s
Kablosuz LAN veri transfer hızı (maks)	300 Mbit/s
Frekans bandı ve işletim kanalları	2.4 - 2.483 GHz
Bant genişliği	2,4 GHz
Ağ standartı	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Kanal kalitesi	5 kanallar
Kanal bant genişliği	40 MHz
Otomatik kanal seçimi	✔
VLAN desteği	✔
RTS/CTS eşiği	✔

Güvenlik	
Güvenlik algoritması destekli *	64-bit WEP, 128-bit WEP, 152-bit WEP, AES, HTTPS, SNMP, SSH, SSID, TKIP, WPA, WPA-PSK, WPA2, WPA2-PSK
MAC adres filtreleme	✔
IP adresi filtreleme	✔
Servis Seti Tanımlayıcısı (SSID) özellikleri	SSID yayını açık/kapalı
SSID desteği sayısı	1
IGMP aramak	✔
Otomatik Kablosuz Dağıtım Sistemi (WDS)	✔

Protokoller	
Evrensel Tak ve Çalıştır (UPnP)	✔
DHCP müşteri	✔
Yönetim protokolleri	TDMA

Yönetim özellikleri	
Web-tabanlı yönetim	✔
Yönetim özellikleri	Pharos Control

Bağlantı	
Ethernet LAN (RJ-45) port sayısı *	1

Enerji yönetimi	
Ethernet üzerinden güç desteği (PoE) *	✔
AC girdi voltajı	100 - 240 V
AC girdi frekansı	50 - 60 Hz
Giriş akımı	0.8 A
Çalıştırma voltajı	24 V
Çıkış akımı	1 A
Güç tüketimi (maksimum)	10,8 W

Tasarım	
Ürün rengi *	Beyaz
Uluslar arası koruma kodu	IPX5
Reset tuşu	✔
İletişim LED göstergeleri	Güç
Dahili	✘

Anten	
Anten tipi *	İç
Anten özellikleri	Entegre anten
Anten sayısı	2
Anten kazanç seviyesi (max)	12 dBi

Performans	
Dahili işlemci	✔
Flash bellek	8 MB
Dahili hafıza	64 MB

Sertifikalar	
Sertifikalar, uygunluk bildirimleri	- CE/FCC/UL/IC/GS/PSB/C-tick/SAA/S-Mark/KC-mark - RoHS, IPX5

Ağırlık & boyutlar	
Genişlik	110 mm
Derinlik	57 mm
Yükseklik	33,5 mm

Paket içeriği	
AC sarma adaptör	✔
Monteleme kiti	✔
Hızlı başlangıç rehberi	✔

Bağlantı	
Dahili RJ-45 bağlantı noktası sayısı	1
Fiş içi DC	✔

Çevresel koşullar	
Çalıştırma nem aralığı	10 - 90%
Çalışma ısısı aralığı	-30 - 70 °C
Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
Çalışmama nemi	5 - 95%

6935364091583

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 11-NOV-2026. Prints or copies of Information are only valid on the printed Publication date