APC BX1200MI-GR kesintisiz güç kaynağı Hat-Etkileşimli 1,2 kVA 650 W 4 AC çıkış(lar)





Marka : APC

Ürün kodu: BX1200MI-GR

Ürün Adı : BX1200MI-GR

APC BX1200MI-GR. UPS topolojisi: Hat-Etkileşimli, Çıkış gücü kapasitesi (VA): 1,2 kVA, Çıkış gücü: 650 W. AC çıkış türleri: Tipi F, Güç fişi: Tipi F, Satış yeri sayısı: 4 AC çıkış(lar). Pil teknolojisi: Mühürlü Kurşun Asidi (VRLA), Tipik tam dolu yedekleme zamanı: 1 dakika, Tipik yarı dolu yedekleme zamanı: 5 dakika. Form faktörü: Kompakt, Ürün rengi: Siyah, Kablo uzunluğu: 1,2 m. Uyumluluk sertifikaları: RoHS, Sertifikalar, uygunluk bildirimleri: CB Meet EN62040-1 / CE / IEC-62040-1 / IEC-62040-2

Özellikler	
UPS topolojisi *	Hat-Etkileşimli
Çıkış gücü kapasitesi (VA) *	1,2 kVA
Çıkış gücü *	650 W
Dalga biçimi *	Sinüs
Girdi çalışma voltajı (minimum) *	140 V
Girdi çalışma voltajı (maksimum) *	300 V
Girdi frekansı *	50/60 Hz
Çıktı çalışma voltajı (minimum)	230 V
Çıktı çalışma voltajı (maksimum)	230 V
Üretim sıklığı	50/60 Hz
Üretim frekansı düzenlemeleri	0.5 Hz
Üretim voltajı düzenlemeleri	10%
Otomatik Voltaj Düzenlemeleri	✔
Elektrik akım enerjisi dalagalanma hızı	273 J
Yenileme yanıt süresi	6 ms
Giriş güç faktörü	0,54
Gürültü seviyesi	40 dB
Dalgalanma koruması	✔
Sesli alarmlar	✔
Sesli alarm modları	Düşük pil alarmı

Bağlantı	
AC çıkış türleri	Tipi F
Güç fişi	Tipi F
Satış yeri sayısı	4 AC çıkış(lar)
USB bağlantı noktası	✔
USB 2.0 bağlantı noktası sayısı	1
USB port tipi	B tipi USB
Ethernet LAN (RJ-45) port sayısı	2
SmartSlot	✘
SmartConnect portu	✘

Batarya	
Pil teknolojisi	Mühürlü Kurşun Asidi (VRLA)
Tipik tam dolu yedekleme zamanı	1 dakika
Tipik yarı dolu yedekleme zamanı	5 dakika
Batarya ömrü (maks)	2 Yıl
Pilin yeniden şarj edilme süresi	8 Saat

Tasarım	
Form faktörü *	Kompakt
Kablo uzunluğu	1,2 m
Ürün rengi *	Siyah
İletişim LED göstergeleri	✔
Uluslar arası koruma kodu	IP20

Çevresel koşullar	
Çalışma ısısı aralığı	0 - 40 °C
Depolama sıcaklığı aralığı (Celsius)	-15 - 40 °C
Çalıştırma nem aralığı	0 - 95%
Çalışma yüksekliği	0 - 3000 m

Sertifikalar	
Uyumluluk sertifikaları	RoHS
Sertifikalar, uygunluk bildirimleri	CB Meet EN62040-1 / CE / IEC-62040-1 / IEC-62040-2

Paket içeriği	
Pakete dahil kablolar	Giriş güç kablosu
Yönetim kartı dahil	✘
Kullanım kılavuzu	✔

Ağırlık & boyutlar	
Genişlik	140 mm
Derinlik	390 mm
Yükseklik	190 mm
Ağırlık	7,6 kg

Ambalajlama bilgisi	
Ambalaj genişliği	235 mm
Ambalaj derinliği	495 mm
Ambalaj yüksekliği	297 mm
Paket ağırlığı	8,6 kg
Lojistik veri	
Uyumlu Sistem (HS) kodu	85078000



0731304410867



731304410867

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date