APC SRTG20KXLI kesintisiz güç kaynağı Çift dönüşüm (Çevrimiçi) 20 kVA 20000 W

Marka : APC

Ürün kodu: SRTG20KXLI

Ürün Adı : SRTG20KXLI

APC SRTG20KXLI. UPS topolojisi: Çift dönüşüm (Çevrimiçi), Çıkış gücü kapasitesi (VA): 20 kVA, Çıkış gücü: 20000 W. AC çıkış türleri: Hard Wire 3-wire (1PH + N + G), Hard Wire 5-wire (3PH + N + G), SCSI arabirimi: RS-232. Pil teknolojisi: Mühürlü Kurşun Asidi (VRLA), Pil voltajı: 192 V, Batarya ömrü (maks): 5 Yıl. Form faktörü: Rafa / Kule, Ürün rengi: Siyah, Ekran türü: LCD. Pakete dahil kablolar: RS-232





Özellikler	
UPS topolojisi *	Çift dönüşüm (Çevrimiçi)
Çıkış gücü kapasitesi (VA) *	20 kVA
Çıkış gücü *	20000 W
Dalga biçimi *	Sinüs
Girdi çalışma voltajı (minimum) *	160 V
Girdi çalışma voltajı (maksimum) *	415 V
Girdi frekansı *	40/70 Hz
Çıktı çalışma voltajı (maksimum)	230 V
Üretim sıklığı	50/60 Hz
Üretim frekansı düzenlemeleri	0.1 Hz
Akım (maks.)	87 A
Çıkış faz sayısı	3
Verimlilik	93%
Zirve faktörü	3:1
Acil durum gücü kapalı (EPO)	✔
Girdi akımı (THD)	5%
Gürültü seviyesi	58 dB
Dalgalanma koruması	✔
Sesli alarmlar	✔
Sesli alarm modları	Akü ile çalışırken alarm, Düşük pil alarmı, Aşırı yük alarmı
Otomatik yeniden başlat	✔

Bağlantı	
AC çıkış türleri	Hard Wire 3-wire (1PH + N + G), Hard Wire 5-wire (3PH + N + G)
USB bağlantı noktası	✔
Seri arayüz	✔
SCSI arabirimi	RS-232
SmartSlot	✔
SmartConnect portu	✘

Batarya	
Pil teknolojisi	Mühürlü Kurşun Asidi (VRLA)
Pil voltajı	192 V
Batarya ömrü (maks)	5 Yıl
Pilin yeniden şarj edilme süresi	4 Saat
Soğuk başlangıç	✔

Tasarım	
Form faktörü *	Rafa / Kule
Ürün rengi *	Siyah
Ekran türü	LCD
İletişim LED göstergeleri	✔
Uluslar arası koruma kodu	IP20

Çevresel koşullar	
Çalışma ısısı aralığı	0 - 40 °C
Depolama sıcaklığı aralığı (Celsius)	-15 - 45 °C
Çalıştırma nem aralığı	0 - 95%
Çalışmama nemi	0 - 95%
Çalışma yüksekliği	0 - 2011,68 m
Çalışmama yüksekliği	0 - 15240 m

Paket içeriği	
Pakete dahil kablolar	RS-232
Yönetim kartı dahil	✔

Ağırlık & boyutlar	
Genişlik	440 mm
Derinlik	700 mm
Yükseklik	306 mm
Ağırlık	142,5 kg

Ambalajlama bilgisi	
Ambalaj genişliği	590 mm
Ambalaj derinliği	790 mm
Ambalaj yüksekliği	535 mm

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date

Lojistik veri	
Uyumlu Sistem (HS) kodu	85078000



0731304411901



731304411901



8592978435455

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date